



म्याङलुङ नगरपालिका
नगर कार्यपालिकाको कार्यालय

म्याङलुङ, देहायमा
कोशी प्रदेश, नेपाल २०७१

मिति: २०८१/०९/२९

आ.व. २०८१/८२
च.न १२०९

विषय: दररेट उपलब्ध गराईदिने विषयक सार्वजनिक सूचना ।

प्रस्तुत विषयमा आ.व. २०८१/८२ मा यस म्याङलुङ नगरपालिकाको लागि देहायमा उल्लेखित कृषी उपकरण (मिनि टिलर तथा च्याप कटर) सामग्रीहरूको लागत अनुमान तयारी गर्ने प्रयोजनार्थ यसै साथ संलग्न स्पेसिफिकेसन बमोजिम प्रति ईकाई मुल्य यस कार्यालयलाई आवश्यक परेको हुदाँ सम्बन्धीत क्षेत्रका व्यवसायी वा आपूर्ति कर्ताले यो सूचना प्रकाशन भएको मितिले ७ दिन (२०८१/१०/०६) भित्र नगर कार्यपालिकाको कार्यालयमा सोझै वा नगरपालिकाको ईमेल myanglungmunicipality@gmail.com मा दररेट उपलब्ध गराई सहयोग गरिदिनुहुन अनुरोध छ ।

तपशिल

S.N.	Item	Specification	Unit	Quantity	Rate (Without VAT)	Remarks
1	Chaff Cutter (silage Cutter)	As per attached specification	Nos	1		
2	Mini Tiller 7 HP	As per attached specification	Nos	1		
3	Mini Tiller 5 HP	As per attached specification	Nos	1		

Technical Specification of chaff Cutter (silage cutter)		
particular	Requirement	Remarks
chpped length	1.5-3 cm	
chopping capacity	400/600 kg/hr	
no of blades	4 nos	
motor capacity	3 hp 1 phase	
weight	51 kg without motor	
Certificate	ISO 9001-2015 CCC	
packaging size	590*490*340mm	
spindle	1000-1100rpm/m	


२०८१/०३/२९
(किशोर कुमार लिम्बु)
नि.प्रमुख प्रशासकीय अधिकृत



Technical Specification of Mini Tiller 7 HP

Manufacture:		Remark
Brand:		
Type/Model:		
Country Of Origin:		
1	Descriptions	Technical Data
1.1	Engine Type :	4 stroke single cylinder
1.2	Max. Power :	7HP
1.3	Fuel Type :	Diesel
1.4	Fuel tank capacity:	3.5L or more
1.5	Displacement :	296cc Approx.
1.6	Transmission:	2F+1R Gear
1.7	Driving Mode :	Gear Transmission
1.8	Cooling system:	Forced Air cooled
1.9	Starting system:	Recoil start
1.1	Clutch system :	Double clutch system
1.11	Tilling Depth :	≥ 150mm
1.12	Tilling Width :	Minimum 1000mm
1.13	Number of blades:	Minimum 32 pcs (each blade wt. not less than 360 gm)
1.14	Productivity:	≥ 600 m ² /h
1.15	Fuel consumption:	0.5-0.8 lph
1.16	Weight:	125 kg Approx.
1.17	Battery capacity	12V/36 Ah
2	Accessories	
2.1	One set of tyre	
2.2	Sets of cultivator blades	
2.3	Tool kit	
2.4	Handlebar seat with toolbox	
2.5	Gear shift with toolbox	
2.6	Headlight with switch control	
3	Standards and Safety Requirements	
3.1	User Training is compulsory.	
3.2	Must provide user training (including how to use and maintain the equipment).	
4	Warranty	
4.1	Comprehensive warranty for 1 years of core components. (engine)	
4.2	During the warranty period supplier must ensure corrective/breakdown maintenance whenever required. (written document)	
4.4	Installation and Commissioning	
5	Documentation	
5.1	User (Operating) manual in English.	
5.2	Service (Technical / Maintenance) manual in English.	
5.3	Certificate of calibration and inspection from factory.	

11. प्रमुख कार्यवाही अधिकारी



5.4	Must submit dealership authorized letter from manufacture company	
5.5	Must have service center within district headquarter of Terhthathum District	

Technical Specification of Mini Tiller 5 HP

Engine model	173F
Starting mode	Manual starter, Recoil
max.power	5 hp
Transmission box	Aluminium alloy + die cast iron
Drive type	Gear
Clutch type (optional)	Forward clutch
Bumper	Common type with stand
Handrail	Common type
Direction adjust	Up/Down
Shifting	1,0,2,- 1
Blade	3pcs 4 groups dryland blade, total 24pcs
W heel	4.00-8
Tilling width	100cm
Tilling depth	≥ 10cm
Efficiency per hour	≥0.04hm ² /(h· m)
Blade revolutions	Fast- 130r/min; Slow-93r/min; R-68r/min
Packing method	Iron frame inside + carton outside
Master qty	1pc/ctn
Net weight	105kg
Gross Weight	115kg
Packing meas.	840*465*660

नि.प्रमुख प्रशासकीय अधिकृत